

## Test Report No.: SDHG1504005155FT Date: May 07, 2015 Page 1 of 3

FO SHAN NANHAI HAOFU HARDWARE FURNITURE FITTINGS CO., LTD XIBIAN TANG INDUSTRIAL ZONE, XIAN VILLAGE, DANZAO TOWN, NANHAI, FOSHAN, GUANGDONG, CHINA

The following sample(s) was / were submitted and identified on behalf of the client as:

: SWIVELING CHAIR MULTIFUNCTION MECHANISM
: HF007
: Apr.17, 2015
: Apr.17, 2015 to May 07, 2015

#### **Test Result Summary**

Test(s) Requested	Result(s)
Clause 6 & 10 of ANSI/BIFMA X5.1:2011	PASS
Summary:	

1. For further details, please refer to the following page(s).

Signed for and on behalf of SGS-CSTC Co., Ltd.

12m

Bill Wang Approved signatory





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms--Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Clean's instructions, if any. The Company's sole responsibility is to its Clean and this document does not excense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falelification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only . Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

1兆<sup>1</sup><sup>1</sup>BakingSacum holetialPar(): 1Summan Root/*lista*Sadun,Dalag Tan,SundarSatan,Bangding/Dire 526333 t (86-757)22805888 f (86-757)22805888 www.sgsgroup.com.cn 中国・广东・像山市康海区大良街道办事处五沙颠和南部1号欧洲工业因一号厂房首席前编: 528333 t (86-757)22805888 f (86-757)22805888 t e sgs.china@sgs.com



# **Test Report**

No.: SDHG1504005155FT

Date: May 07, 2015

### **TESTS AND RESULTS**

#### Test Conducted:

Clause 6 & 10 of ANSI/BIFMA X5.1:2011 General-Purpose Office Chairs – Tests.

#### **General Test Condition:**

The following test program was conducted in a laboratory environment maintained at  $15^{\circ}$  to  $25^{\circ}$  and  $50^{\pm}5^{\circ}$  RH. The sample was individually tested after conditioning in the test environment for at least 24 hours prior to conducting the test.

The complete detailed procedures may be found in the referenced specification and are only summarized herein.

#### No. of Sample:

2 pieces (Sample 1 & 2). For more sample information and pictures, please refer to the following page.

Test	Test Description and Requirements	Test Results
6	Backrest Strength Test - Static - Type II & III	
6.4.1	<b>Functional Load</b> There shall be no loss of serviceability to the chair when 667 N (150 lbf.) is applied to the backrest at the specified position for one (1) minute. With the backrest at its back stop position, apply a force that is initially 90 degrees $\pm$ 10 degrees to the plane of the backrest. The force is not intended to be maintained at 90 degrees $\pm$ 10 degrees throughout the loading of the backrest.	PASS
6.4.2	<b>Proof Load</b> There shall be no sudden and major change in the structural integrity of the chair, loss of serviceability is acceptable, when 1112 N (250 lbf.) is applied to the backrest at the specified position for one (1) minute. With the backrest at its back stop position, apply a force that is initially 90 degrees $\pm$ 10 degrees to the plane of the backrest. The force is not intended to be maintained at 90 degrees $\pm$ 10 degrees throughout the loading of the backrest.	PASS
10	<i>Tilt Mechanism Test – Cyclic</i> There shall be no loss of serviceability to the tilt mechanism after 300,000cycles at a rate between 10 and 30 cycles per minute under a 102kg (225lbs.) load to the center of the seat. <i>Note: This test shall be performed on Type I and Type II chairs with</i> <i>tilting backrests.</i>	PASS

### Annex A: Classification of Chair Types

- **Type I. Tilting chair:** A chair with a seat that tilts with a counterbalancing force. Chairs of this type are typically referred to as synchro-tilt, center-tilt, knee-tilt.
- Type II. Fixed seat angle, tilting backrest: A chair that provides a fixed seat angle with a tilting backrest.
- **Type III. Fixed seat angle, fixed backrest:** A chair that provides a fixed seat angle with a fixed backrest. This may include chairs with legs, including sled base chairs.

Remark:

- 1. In this report, the samples of semi-finished products were tested and assessed base on the matched assembly supplied by lab.
- 2. For the sample information and pictures, please refer to the following page.



11,190001g500m100b19194()に19901m03010b193838000U9480(1993)(340001g501)(326333 (186-757)22805888 1(86-757)22805888 e sgs.china@sgs.com 中国・广东・像山市業務区大良街道办事を五多期和苗路1号欧利工业同一号厂房首局前集。52833 t (86-757)22805888 f (86-757)22805888 e sgs.china@sgs.com



**Test Report** 

No.: SDHG1504005155FT

Date: May 07, 2015

Page 3 of 3

## SAMPLE INFORMATION AND PICTURES

Weight: 3.40 kg

Overall Dimensions: /

Other Dimensions: /

## Sample as Received



\*\*\*End of Report\*\*\*



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Clent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document conto be reproduced except in full, without price written approval of the Company. Any unalthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only . Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755):83071443, or email: CN.Doccheck@ises.com

oremati: CH\_Boccheck@sgs.com 1f(198kingSupenIndet#Pat)k1f%mmarRed/Ide&SolonDategTextSwolifedan(AlexanGrap)Chine 525333 1 (86-757)22805888 1 (86-757)22805888 executionaの 中国・广东・廃山市業務区大良街道办事处五沙縣利南路1号取利工业図一号厂音賞版前編: 528333 1 (86-757)22805888 f (86-757)22805888 executiona@sgs.com